
decocer




Abaco



Abaco transforma el formato 10x10 cm en infinitas composiciones. Ocho tonos, de luminosos a profundos, invitan a crear espacios vibrantes, llenos de carácter, ritmo y personalidad. Abaco transforms the 10x10 cm format into endless compositions. Eight shades, from luminous to deep, invite the creation of vibrant spaces filled with character, rhythm, and personality.


Formatos. Sizes



Resistencia al deslizamiento: C3 / Slip resistance: C3

V1 Color uniforme / V1 Uniform color


Grupo Bla · Porcelánico / Group Bla · Porcelain tiles



Espesor. Thickness



Colores. Colours



Abaco Blanc



Abaco Linen



Abaco Pewter



Abaco Sand



Abaco Cotto



Abaco Austral



Abaco Flora



Abaco Nero

| Packing. Abaco | PCS Box | m ² Box | Kg Box | Box Pallet | PCS Pallet | m ² Pallet | Kg Pallet |
|-------------------|------------|-----------------------|-----------|---------------|---------------|--------------------------|--------------|
| 10x10cm. 4"x4" | 48 | 0,48 | 9,91 | 114 | 5472 | 54,72 | 1130 |

dc














www.decocer.com



Especificaciones técnicas. Technical specifications

| Formato. Size | Tipo de material. Material type | Dureza. Hardness MOHS/EN-101 | Resistencia ataque químico. Chemical attack resistance ISO 10545-13 | Manchas. Stains ISO 10545-14 | Abrasión-PEI. Abrasion-PEI ISO 10545-7 | | | Deslizamiento. Slip resistance UNE-ENV 12633 | Deslizamiento. Slip resistance DIN-51130-R | DCOF ANSI A326-3 |
|------------------|------------------------------------|------------------------------------|---|------------------------------------|--|--------------------------|-------|--|--|------------------------------|
| | | | | | 2 | 3 | 4 | | | |
| 10x10cm. 4"x4" | Porcelánico. Porcelain tiles | 7 | GLA, GHA | 4, 4, 4 | Nero, Pewter, Flora, Austral | Cotto, Linen, Sand | Blanc | C3 | R11 | Cumple/Pass DECOF RD>0,42 |

Símbolos. Symbols

| | | | | | |
|--|--------------------------------|---|-------------------------|---|----------------------------------|
|  | Polivalente_Versatiles |  | Mate_Matt |  | V1 Color uniforme_Uniform color |
|  | Revestimiento_Wall tiles |  | Mate&Brillo_Matt&Glossy |  | V2 Dest. ligero_Shade var: low |
|  | Pavimento_Floor tiles |  | Satinado_Satin |  | V3 Dest. medio_Shade var: medium |
|  | Multi Formato_Multi Format |  | Brillo_Glossy |  | V4 Muy dest._Shade var: high |
|  | Relieve_Relief |  | Anti-hielo_Frost proof |  | No repetitivo_No repetitive |
|  | Forma irregular_Irregular edge |  | 3D Relieve 3D_3D Relief | | |

Escala de destonificación de color. Shade variation program scale

V1 Color uniforme_V1 Uniform color

V2 Destonificado: Ligero_V2 Shade variation: Low

V3 Destonificado: Medio_V3 Shade variation: Medium

V4 Destonificado: Alto_V4 Shade variation: High