





Micro 10


Essenziale, sostenibile, vibrante.
Micro 10 è la nuova collezione di mosaico materico di Mosaicomicro, realizzata in vetro riciclato e argilla. Dodici tonalità piene e naturali compongono una palette contemporanea, pensata per valorizzare superfici e spazi con texture compatte e un forte impatto visivo. Un incontro tra artigianalità e sostenibilità, in un formato ridotto che racchiude qualità, colore e consapevolezza ambientale.


Essential, sustainable, vibrant.
Micro 10 is the new mosaic collection by Mosaicomicro, crafted from recycled glass and clay. Twelve solid, natural tones compose a contemporary palette, designed to enhance surfaces and spaces with compact textures and a bold visual impact. It's a meeting of craftsmanship and sustainability in a reduced format that encapsulates quality, color, and environmental consciousness.

















M10 180 - Talco




M10 200 - Grafite




M10 260 - Avio




M10 185 - Riso



M10 235 - Mattone




M10 265 - Ocra




M10 190 - Cenere



M10 240 - Salmone




M10 194 - Fango



M10 250 - Salvia




M10 198 - Ebano



M10 255 - Maya

Formati Size



Codice mosaico <i>Mosaic code</i>	Descrizione mosaico <i>Mosaic description</i>	Fuga consigliata* tono su tono <i>Suggested grout* tone on tone</i>	Consumo fuga - Kg / mq <i>Grout coverage - Kg / sqm</i>
M10 180	Talco	MG - bright white 44	2,5
M10 185	Riso	MG - light pewter 90	2,5
M10 190	Cenere	MG - sterling silver 78	2,5
M10 194	Fango	MG - natural grey 24	2,5
M10 198	Ebano	MG - mocha 35	2,5
M10 200	Grafite	MG - midnight black 22	2,5
M10 235	Mattone	MG - terra cotta 58	2,5
M10 240	Salmone	MG - saltillo 92	2,5
M10 250	Salvia	MG - boston fern 33	2,5
M10 255	Maya	MG - sea glass 50	2,5
M10 260	Avio	MG - slate grey 91	2,5
M10 265	Ocra	MG - kashmir 41	2,5

1 mq = 11 fogli 1 sqm = 11 sheets

*Suggeriamo fuga epossidica We suggest epoxy grout

Dimensione scatola <i>Box size</i>	Dimensione fogli <i>Sheets size</i>	Fogli per scatola <i>Sheets-box</i>	mq-scatola <i>smq-box</i>	kg-scatola <i>kg-box</i>
330x330x55 mm	300x300x4 mm	8	0,72	4,1

Dimensione pallet <i>Pallet size</i>	Contenuto pallet <i>Pallet content</i>	Fogli-pallet <i>Sheets-pallet</i>	mq-pallet <i>smq-pallet</i>	kg-pallet <i>kg-pallet</i>
800x1200x880 mm	72 scatole <i>72 box</i>	576	51,84	320

Scivolosità <i>Slipperiness</i>	Resistenza agli sbalzi termici <i>Thermal shock resistance</i>	Resistenza al gelo <i>Frost resistance</i>	Resistenza agli attacchi chimici <i>Chemical resistance</i>	Resistenza alle macchie <i>Resistance to stains</i>
classe C <i>classification C</i>	resistente <i>resistant</i>	resistente <i>resistant</i>	A LA HA	resistente <i>resistant</i>
DIN 51097:1992	UNI EN ISO 10545-9:2014	UNI EN ISO 10545-12:2000	UNI EN ISO 10545-13:2017	UNI EN ISO 10545-14:2015