

aparici

# CRACKED COLLECTION

CERAMIC WALL TILES - REVESTIMIENTO CERÁMICO | PORCELAIN - PORCELÁNICO | IN & OUT - INTERIOR & EXTERIOR

---




# CRACKED



Wall: Cracked Grey\_Graphite Origami 44,63x119,3 cm Floor: Cracked Grey Natural 99,55x99,55 cm

# CRACKED



Wall: Cracked White\_White Origami\_Cracked Ornament 44,63x119,3 cm Floor: Flamed Sapphire Natural 49,75x99,55 cm


# CRACKED

White Body    Rectified    Slight Variation    High Variation Cracked Ornament    Double Firing    0,78 cm Thickness  
 Pasta Blanca    Rectificado    Ligera Variación    Contraste de Tonalidad Cracked Ornament    Biccocción    0,78 cm Espesor



Cracked White  
44,63x119,3 cm - 17,57"x46,97"

G-3180




Cracked White Mosaico 2,5x2,5  
29,75x29,75 cm  
11,71"x11,71"

G-3756



Cracked Grey  
44,63x119,3 cm - 17,57"x46,97"

G-3180



Cracked Grey Mosaico 2,5x2,5  
29,75x29,75 cm  
11,71"x11,71"

G-3756



Cracked White Origami  
44,63x119,3 cm - 17,57"x46,97"

G-3208



Cracked Grey Origami  
44,63x119,3 cm - 17,57"x46,97"

G-3208



Cracked Ornament  
44,63x119,3 cm - 17,57"x46,97"

G-3298



\*Side View Corner/  
Perfil Corner


Cracked Corner 45  
1,5x44,63 cm  
0,59"x17,57"

G-2115



Cracked Graphite  
44,63x119,3 cm - 17,57"x46,97"

G-3180



Cracked Graphite Mosaico 2,5x2,5  
29,75x29,75 cm  
11,71"x11,71"

G-3756



Cracked Graphite Origami  
44,63x119,3 cm - 17,57"x46,97"

G-3208

CRACKED ORNAMENT - 8 DIFFERENT ALEATORY PATTERNS.  
CRACKED ORNAMENT - 8 DECORACIONES DIFERENTES ALEATORIAS.

CRACKED CORNER IS AVAILABLE IN ALL COLOURS OF COLLECTION.  
CRACKED CORNER ESTÁ DISPONIBLE EN TODOS LOS COLORES DE LA COLECCIÓN.



Altair Gold - Silver Lista  
1x119,3 cm - 0,39"x46,97"

G-2131



Strato Plata Mate Lista  
1x119,3 cm - 0,39"x46,97"

G-2087

Series	Format & Thickness	Unit	Boxes/Pallet	m <sup>2</sup> /Pallet	m <sup>2</sup> /Box	Pieces/Box	Kg/Pallet	Kg/Box
Cracked	44,63x119,3x0,78 cm	m <sup>2</sup>	24	51,12	2,13	4	800,02	31,48
Cracked Origami	44,63x119,3x0,78 cm	m <sup>2</sup>	24	38,33	1,60	3	680,02	25,23
Cracked Ornament	44,63x119,3x0,78 cm	m <sup>2</sup>	24	51,12	2,13	4	800	31,48
Cracked Mos. 2,5x2,5	29,75x29,75x0,78 cm	m <sup>2</sup>	36	28,69	0,797	9	361	10
Cracked Corner	1,5x44,63 cm	pz	48	3,84	0,08	12	110	2,006
Altair Gold/ Silver Lista	1x119,3 cm	pz	15	5,37	0,358	30	97	5,50
Strato Plate Lista	1x119,3 cm	pz	36	44,67	1,241	104	455	12

CONTENT OF RECYCLED MATERIAL  
CONTENIDO DE MATERIAL RECICLADO

50%

# CRACKED



Wall: Cracked White 49,75x99,55 cm

Floor: Cracked Graphite Natural 99,55x99,55 cm


# CRACKED

Porcelain    Rectified    Slight Variation    Double Firing  
 Porcelánico    Rectificado    Ligera Variación    Bicocción



Cracked White Natural  
 99,55x99,55 cm - 39,19"x39,19"

G-3268




Cracked White Natural  
 49,75x99,55 cm - 19,59"x39,19"

G-3180



Cracked White Nat. Mosaico Hexagonal G-2143  
 28x30 cm  
 11,02"x11,81"



Cracked White Nat. Mosaico 5x5 G-3558  
 29,75x29,75 cm  
 11,71"x11,71"



Cracked White Natural  
 59,55x59,55 cm - 23,45"x23,45"

G-3180



Floor: Cracked White Natural 99,55x99,55 cm

UNE 41901 EX

CLASE 2

DIN 51130

R10 B

ANSI A 137.1-2012

DCOF > 0.42


BS 7976

PTV > 36

CONTENT OF RECYCLED MATERIAL  
 CONTENIDO DE MATERIAL RECICLADO

19%

Series	Format/Thickness	Unit	Boxes/Pallet	m <sup>2</sup> /Pallet	m <sup>2</sup> /Box	Pieces/Box	Kg/Pallet	Kg/Box
Cracked 100X100	99,55x99,55x1 cm	m <sup>2</sup>	40	39,64	0,99	1	991,44	23,89
Cracked 50x100	49,75x99,55x1 cm	m <sup>2</sup>	27	40,12	1,49	3	940,75	34,10
Cracked 60x60	59,55x59,55x1 cm	m <sup>2</sup>	36	51,08	1,42	4	1162,75	31,75
Cracked Ro-50	7,3x49,75 cm	pz	24	15,7	0,654	18	373	14,57
Cracked Ro-60	7,3x59,55 cm	pz	24	18,8	0,81	18	450	17,80
Cracked Ro-100	7,3x99,55 cm	pz	16	17,44	1,09	15	411	24,23
Cracked Trencadis	42,2x34 cm	pz	36	18	0,5	5	420	11
Cracked Mosaico 5x5	29,75x29,75 cm	m <sup>2</sup>	36	22,28	0,619	7	489	12,97



Cracked Graphite Natural  
 99,55x99,55 cm - 39,19"x39,19"

G-3268




Cracked Graphite Natural  
 49,75x99,55 cm - 19,59"x39,19"

G-3180



Cracked Graphite Nat. Mosaico Hexagonal G-2143  
 28x30 cm  
 11,02"x11,81"



Cracked Graphite Nat. Mosaico 5x5 G-3558  
 29,75x29,75 cm  
 11,71"x11,71"



Cracked Graphite Natural  
 59,55x59,55 cm - 23,45"x23,45"

G-3180

## Complementary Pieces | Steps

### Piezas Complementarias | Peldaños



Cracked Natural Gradone 100 G-2655  
 Cracked Natural Gradone Ángulo 100 G-2723  
 49,75x99,55 cm - 19,59"x39,19"

Cracked Natural Gradone 60 G-2559  
 Cracked Natural Gradone Ángulo 60 G-2609  
 59,55x59,55 cm - 23,45"x23,45"

Cracked Natural Gradone G-2723  
 Cracked Natural Gradone Ángulo G-2779  
 99,55x99,55 cm - 39,19"x39,19"



Cracked Natural Peldaño 100 G-2337  
 Cracked Natural Peldaño Ángulo 100 G-2375  
 49,75x99,55 cm - 19,59"x39,19"

Cracked Natural Peldaño 60 G-2197  
 Cracked Natural Peldaño Ángulo 60 G-2287  
 59,55x59,55 cm - 23,45"x23,45"

Cracked Natural Peldaño G-2541  
 Cracked Natural Peldaño Ángulo G-2623  
 99,55x99,55 cm - 39,19"x39,19"

## Complementary Pieces | Skirting

### Piezas Complementarias | Rodapiés



Cracked Natural Rodapié 50 G-2071  
 7,3x49,75 cm - 2,87"x19,59"

Cracked Natural Rodapié 60 G-2071  
 7,3x59,55 cm - 2,87"x23,45"

Cracked Natural Rodapié 100 G-2115  
 7,3x99,55 cm - 2,87"x39,19"



Cracked Natural Tipo L 100 G-2503  
 Cracked Natural Tipo L Ángulo 100 G-2585  
 44x99,55 cm - 17,32"x39,19"

Cracked Natural Tipo L 60 G-2375  
 Cracked Natural Tipo L Ángulo 60 G-2585  
 54x59,55 cm - 21,26"x23,45"

Cracked Natural Tipo L G-2609  
 Cracked Natural Tipo L Ángulo G-2815  
 94x99,55 cm - 37,01"x39,19"

# CRACKED

Porcelain    Rectified    Slight Variation    Double Firing  
 Porcelánico    Rectificado    Ligera Variación    Bicocción



Cracked Grey Natural  
 99,55x99,55 cm - 39,19"x39,19"

G-3268




Cracked Grey Natural  
 49,75x99,55 cm - 19,59"x39,19"

G-3180



Cracked Grey Nat.  
 Mosaico Hexagonal G-2143  
 28x30 cm  
 11,02"x11,81"



Cracked Grey Nat.  
 Mosaico 5x5 G-3558  
 29,75x29,75 cm  
 11,71"x11,71"



Cracked Grey Natural  
 59,55x59,55 cm - 23,45"x23,45"

G-3180

## Complementary Pieces | Steps


### Piezas Complementarias | Peldaños

	Cracked Natural Gradone 100	G-2655
	Cracked Natural Gradone Ángulo 100	G-2723
	49,75x99,55 cm - 19,59"x39,19"	
	Cracked Natural Gradone 60	G-2559
	Cracked Natural Gradone Ángulo 60	G-2609
	59,55x59,55 cm - 23,45"x23,45"	
	Cracked Natural Gradone	G-2723
	Cracked Natural Gradone Ángulo	G-2779
	99,55x99,55 cm - 39,19"x39,19"	
	Cracked Natural Peldaño 100	G-2337
	Cracked Natural Peldaño Ángulo 100	G-2375
	49,75x99,55 cm - 19,59"x39,19"	
	Cracked Natural Peldaño 60	G-2197
	Cracked Natural Peldaño Ángulo 60	G-2287
	59,55x59,55 cm - 23,45"x23,45"	
	Cracked Natural Peldaño	G-2541
	Cracked Natural Peldaño Ángulo	G-2623
	99,55x99,55 cm - 39,19"x39,19"	
	Cracked Natural Tipo L 100	G-2503
	Cracked Natural Tipo L Ángulo 100	G-2585
	44x99,55 cm - 17,32"x39,19"	
	Cracked Natural Tipo L 60	G-2375
	Cracked Natural Tipo L Ángulo 60	G-2585
	54x59,55 cm - 21,26"x23,45"	
	Cracked Natural Tipo L	G-2609
	Cracked Natural Tipo L Ángulo	G-2815
	94x99,55 cm - 37,01"x39,19"	

## Complementary Pieces | Skirting

### Piezas Complementarias | Rodapiés

	Cracked Natural Rodapié 50	G-2071
	7,3x49,75 cm - 2,87"x19,59"	
	Cracked Natural Rodapié 60	G-2071
	7,3x59,55 cm - 2,87"x23,45"	
	Cracked Natural Rodapié 100	G-2115
	7,3x99,55 cm - 2,87"x39,19"	



Wall: Cracked White Natural Mosaico Hexagonal

Floor: Cracked Grey Natural 49,75x99,55 cm

# CRACKED 2CM

Porcelain Rectified Slight Variation Thickness 2CM  
 Porcelánico Rectificado Ligera Variación Espesor 2CM




Cracked White Outdoor 2CM  
 49,75x99,55 cm - 19,59"x39,19"  
 G-9234



Cracked Grey Outdoor 2CM  
 49,75x99,55 cm - 19,59"x39,19"  
 G-9234



Cracked Graphite Outdoor 2CM  
 49,75x99,55 cm - 19,59"x39,19"  
 G-9234



Outdoor Floor: Cracked Graphite Outdoor 2cm 49,75x99,55 cm

Indoor floor: Cracked Graphite Natural 49,75x99,55 cm

UNE 41901 EX  
**CLASE 3**  
 DIN 51130  
**R11 C**  
 ANSI A 137.1-2012  
**DCOF>0.42**  
 BS 7976  
**PTV > 36**  
 CONTENT OF RECYCLED MATERIAL  
 CONTENIDO DE MATERIAL RECICLADO  
**19%**

### Complementary Pieces | Steps

#### Piezas Complementarias | Peldaños



Cracked Outdoor 2 CM Tipo L 100  
 Cracked Outdoor 2 CM Tipo L Ángulo  
 44x99,55 cm - 17,32"x39,19"

G-2609  
 G-2815

### Complementary Pieces | Grid

#### Piezas Complementarias | Rejilla



Cracked Outdoor 2CM Grid  
 24,75x99,55 cm - 9,74"x39,19"

G-2375



Cracked Outdoor 2CM Grid  
 24,75x24,75cm - 9,74"x9,74"

G-2171

Series	Format&Thickness	Unit	Boxes/Pallet	m <sup>2</sup> /Pallet	m <sup>2</sup> /Box	Pieces/Box	Kg/Pallet	Kg/Box
Cracked 2 CM	49,75x99,55x2 cm	m <sup>2</sup>	36	17,82	0,50	1	825,03	22,36